




HOWAKI®



DIMENSIONS (mm)					
DN	D	K	holes		
			n°	Ø	
32	140	100	4	18	
40	150	110	4	18	
50	165	125	4	18	
65	185	145	4	18	
80	200	160	4	18	
100	220	180	8	18	



only types
CM 65-250 and
CM 80-200

TYPE ELECTRIC PUMP	DIMENSIONS (mm)																	Weigh	PACKAGE (mm)			
	HP	DN _m	D _{na}	a	h ₁	h ₂	m ₁	m ₂	m ₁	n ₂	b	c	s	A	B	H	kg	I	L	M		
CM 32-160 C	2	32	50	80	140	155	103	84	235	187	51	16	12	550	240	295	45	590	285	415		
CM 32-160 B	3	32	50	80	140	155	103	84	235	187	51	16	12	550	240	295	45	590	285	415		
CM 32-160 A	4	32	50	80	140	155	103	84	235	187	51	16	12	550	240	295	45	590	285	415		
CM 40-160B	4	40	65	80	140	155	103	84	235	187	51	16	12	550	240	295	47	590	285	415		
CM 40-160A	5.5	40	65	92	135	170	111	87	219	170	51	16	12	550	245	305	50	590	285	415		
CM 40-200B	7.5	40	65	105	139	182	103	81	270	215	55	17	16	597	285	341	80	695	340	470		
CM 40-200A	10	40	65	105	139	182	103	81	270	215	55	17	16	597	285	341	82	695	340	470		
CM 40-250B	15	40	65	95	180	235	131	108	317	251	67	18	16	740	327	415	129	820	370	510		
CM 40-250A	20	40	65	95	180	235	131	108	317	251	67	18	16	740	327	415	130	820	370	510		
CM 50-125A	5.5	50	65	92	135	170	111	87	219	170	51	16	12	550	245	305	50	590	285	415		
CM 50-160B	7.5	50	65	106	139	182	103	75	265	215	50	16	13	590	275	341	80	695	340	470		
CM 50-160A	10	50	65	106	139	182	103	75	265	215	50	16	13	590	275	341	82	695	340	470		
CM 50-200 B	15	50	65	108	180	215	130	105	311	250	65	20	15	700	330	395	125	820	370	510		
CM 50-200 A	20	50	65	108	180	215	130	105	311	250	65	20	15	700	330	395	130	820	370	510		
CM 50-250 C	20	50	65	108	180	215	130	105	311	250	65	20	15	700	330	395	130	820	370	510		
CM 50-250 B	25	50	65	108	180	215	130	105	311	250	65	20	15	740	330	395	150	820	370	510		
CM 50-250 A	30	50	65	108	180	215	130	105	311	250	65	20	15	800	330	395	220	975	420	575		
CM 65-125 B	7.5	65	80	105	165	225	124	100	280	212	65	18	15	630	260	390	78	695	340	470		
CM 65-125 A	10	65	80	105	165	225	124	100	280	212	65	18	15	630	260	390	82	695	340	470		
CM 65-160 B	15	65	80	105	185	225	129	109	315	245	62	16	13	740	330	410	125	820	370	510		
CM 65-160 A	20	65	80	105	185	225	129	109	315	245	62	16	13	700	330	410	130	820	370	510		
CM 65-200 C	20	65	80	105	185	225	129	109	315	245	62	16	13	700	330	410	130	820	370	510		
CM 65-200 B	25	65	80	105	185	225	129	109	315	245	62	16	13	740	330	410	150	820	370	510		
CM 65-200 A	30	65	80	114	212	240	160	128	355	277	80	21	21	800	373	452	220	975	420	575		
CM 65-250 B	40	65	80	114	212	240	160	128	355	277	80	21	21	870	373	452	300	975	420	575		
CM 65-250 A	50	65	80	114	212	240	160	128	355	277	80	21	21	870	373	452	320	975	420	575		
CM 80-160 D	15	80	100	127	178	232	132	115	312	250	65	19	16	720	285	410	129	820	370	510		
CM 80-160 C	20	80	100	127	178	232	132	115	312	250	65	19	16	720	285	410	130	820	370	510		
CM 80-160 B	25	80	100	127	185	266	132	115	312	25	65	19	16	760	285	445	150	820	370	510		
CM 80-160 A	30	80	100	127	185	260	132	115	312	25	65	19	16	840	305	445	220	975	420	575		
CM 80-200 B	40	80	100	130	195	275	132	100	345	282	75	18	16	950	350	470	300	975	420	575		
CM 80-200 A	50	80	100	130	195	275	123	100	345	282	75	18	16	950	350	470	320	975	420	575		

